

الإثنين 1436 / 1 / 10 هـ الساعة 12 – 1

اسم الطالبة :
رقم الطالبة :
رقم الشعبة :
أستاذة المقرر :

For each question, write the letter in the space given in the following table

Question	1	2	3	4	5	6	7	8	9	10
Answer	B	B	A	C	C	A	B	B	D	C

Question	11	12	13	14	15	16	17	18	19	20
Answer	A	C	A	C	C	B	B	B	D	B

Question	21	22	23	24	25
Answer	A	C	B	C	B

Good Luck

Question 1:

Consider the following frequency table of serum cholesterol levels of 100 subjects in a certain hospital:

Row	Cholesterols Levels	Frequency	Relative Frequency	Cumulative Frequency	Cumulative Relative Frequency
1	50-74	3			
2	75-99	--		13	
3		15			
4	125-149	21			
5	150-174		0.3		
6	175-199	12			
7	200-224	7			
8	225-249	2			

Answer the following questions:

1- The type of the variable is

(A) Qualitative nominal

(B) Quantitative continuous

(C) Quantitative discrete

(D) Qualitative ordinal

2- The 3rd class interval is

(A) 99-124

(B) 100-124

(C) 100-125

(D) None of these

3- The 5th frequency is

(A) 30

(B) 32

(C) 29

(D) 10

4- The 2nd relative frequency is

(A) 0.12

(B) 10

(C) 0.1

(D) 0.3

5- The 6th cumulative frequency is

(A) 90

(B) 0.12

(C) 91

(D) 0.91

6- The 4th cumulative relative frequency is

(A) 0.49

(B) 0.21

(C) 49

(D) 21

7- The class width is

(A) 20

(B) 25

(C) 10

(D) 1

Question 2:

If the numbers of drugs of 10 diabetes patients take are 1, 4, 5, 2, 5, 8, 8, 3, 4, 5;
find:

8- The sample mean is

- (A) 4.8 **(B) 4.5** (C) 4 (D) 5

9- The sample median is

- (A) 2 (B) 5 (C) 4 **(D) 4.5**

10- The sample mode is

- (A) 4 (B) 8 **(C) 5** (D) 4, 5

11- The sample standard deviation is

- (A) 2.273** (B) 2.319 (C) 2.282 (D) 2.332

Question 3:

By using the SPSS results of the number of calls per day for a sample of Saudi
women

Statistics

12- The type of the variable is

number of calls

- (A) Qualitative (B) Continuous
(C) Discrete (D) Statistic

13- The variance is

- (A) 3.484** (B) 1.866
(C) 20 (D) None of these


14- The coefficient of variation is

- (A) 18.59% (B) 94.17%
(C) 50.45% (D) none of these

N	Valid	20
	Missing	0
Percentiles	Mean	3.7000
	Median	3.0000
	Mode	3.00
	Std. Deviation	1.86660
	Range	7.00
	25	2.0000
	50	3.0000
	75	5.0000

Question 4:

For a sample of children, we measure the number of their friends and we obtain the following graph, then



15- The type of the graph is

- (A) Polygon (B) Histogram **(C) Bar chart** (D) Curve

16- The variable name is

- (A) Children **(B) Number of friends** (C) Bar chart (D) None of these

17- The sample size is

- (A) 20 **(B) 28** (C) 13 (D) 30

18- The number of children have 3 friends

- (A) 24 **(B) 13** (C) 5 (D) 9

19- The number of children have more than 4 friends

- (A) 24 (B) 13 (C) 26 **(D) 4**

20- The percentage of children have three friends or less is

- (A) 85.71% **(B) 53.57%** (C) 92.86% (D) 7.14%

21- The relative frequency of children have from 3 to 5 friends inclusive

- (A) 0.8929** (B) 0.1071 (C) 0.3214 (D) 0.1429

22- The mode is

- (A) 6 (B) 4 **(C) 3** (D) 13

Question 5:

23- The economical level is an example of

- (A) Nominal variable **(B)** Ordinal variable
(C) Continuous variable (D) Quantitative variable

24- The measure that can be found for qualitative and quantitative variables is

- (A) Mean (B) Variance **(C)** Mode (D) Range

25- Not affected by extreme values are

- (A) Mean and Median **(B)** Median and Mode
(C) Mean and Mode (D) None of these.

End of the Questions