

General Pharmacology Exam MCQs: Enoch Morrison

1. Which of the following is the antidote for the toxin Benzodiazepines?

- A. Flumazenil
- B. Methylene blue
- C. Deferoxamine
- D. Alkalinize urine

2. Which of the following is the antidote for the toxin Lead?

- A. Naloxone
- B. Nitrite
- C. CaEDTA
- D. Dialysis

3. Which of the following is the primary site of activity for the drug Warfarin?

- A. Kidney
- B. Liver
- C. Blood
- D. Heart

4. Lansoprazole is not used in which of the following cases?

- A. Gastritis
- B. Peptic Ulcers
- C. Zollinger-Ellison syndrome
- D. Thalamus hypertrophy

5. Which of the following drugs is associated with the reaction of Cinchonism?

- A. Valproic acid
- B. Quinidine
- C. Isoniazid
- D. Ethosuximide

6. Which of the following drugs is associated with the reaction of hepatitis?

- A. Valproic acid
- B. Quinidine
- C. Isoniazid
- D. Ethosuximide

7. Which of the following drugs is associated with the reaction of Stevens-Johnson syndrome?

- A. Valproic acid
- B. Quinidine
- C. Isoniazid
- D. Ethosuximide

8. Which of the following drugs is associated with the reaction of Tendon dysfunction?

- A. Digitalis
- B. Niacin
- C. Tetracycline
- D. Fluoroquinolones

9. A drug ending in the suffix (pril) is considered a _____.

- A. H
- B. ACE inhibitor
- C. Antifungal
- D. Beta agonist

10. A drug ending in the suffix (azole) is considered a _____.

- A. H
- B. ACE inhibitor
- C. Antifungal
- D. Beta agonist

11. A drug ending in the suffix (tidine) is considered a _____.

- A. Antidepressant
- B. Protease inhibitor
- C. Beta antagonist
- D. H2 antagonist

12. A drug ending in the suffix (navir) is considered a _____.

- A. Antidepressant
- B. Protease inhibitor
- C. Beta antagonist
- D. H2 antagonist

13. Which of the following drugs is associated with the reaction of extreme photosensitivity?

- A. Digitalis
- B. Niacin
- C. Tetracycline
- D. Fluoroquinolones

14. Which of the following is not related to a drug toxicity of Prednisone?

- A. Cataracts
- B. Hypotension
- C. Psychosis
- D. Acne

15. Which of the following is not related to a drug toxicity of Atenolol?

- A. CHF
- B. Tachycardia
- C. AV block
- D. Sedative appearance

16. Which of the following is considered a class IA Sodium Channel blocker?

- A. Mexiletine
- B. Aminodarone
- C. Quinidine
- D. Procainamide

17. Which of the following is considered a class IA Sodium Channel blocker?

- A. Propafenone
- B. Disopyramide
- C. Aminodarone
- D. Quinidine

18. Potassium sparing diuretics have the primary effect upon the _____ found in the kidney.

- A. Proximal convoluted tubule
- B. Loop of Henle
- C. Collecting duct
- D. Distal convoluted tubule

19. Which of the following is not directly related to a drug toxicity of Nitroglycerin?

- A. Headaches
- B. Tachycardia
- C. Dizziness
- D. Projectile vomiting

20. Which of the following is not directly related to a drug toxicity of Ibuprofen?

- A. Nausea
- B. Renal dysfunction
- C. Anemia
- D. Muscle wasting

Answer Key

1. A

2. C

3. B

4. D

5. B

6. C

7. D

8. D

9. B

10. C

11. D

12. B

13. C

14. B

15. B

16. B

17. A

18. D

19. D

20. D