



Employee class:

- **Attributes:**
 - *id*: ID of the employee
 - *name*: name of the employee
- **Methods:**
 - *Employee(int id, String name)*: constructor
 - *getID()*: returns the id of the employee
 - *calculateSalary()*: calculates monthly salary as follows:
 - *for Programmers*: 160SR an hour
 - *for ProjectManagers*: 30,000 + 1,000 for each project
 - *display()*: displays the id, name, and salary of the employee

Programmer class:

- **Attributes:**
 - *nbHours*: the number of daily work hours for the programmer
- **Methods:**
 - *Programmer(int id, String name, int nbHours)*: constructor
 - *getNbHours()*: returns the number of hours of the programmer

ProjectManager class:

- **Attributes:**
 - *nbProjects*: the number of projects the manager is working on
- **Methods:**
 - *ProjectManager(int id, String name, int NbProjects)*: constructor
 - *getNbProjects()*: returns the number of projects the manager is working on

AuditDepartment class:

- **Attributes:**
 - *company*: the name of the company the department belongs to
- **Methods:**
 - *AuditDepartment()*: default constructor
 - *AuditDepartment(String company, int size)*: constructor
 - Throws a *NegativeArraySizeException* when created with a negative size
 - *searchEmployee(int id)*: searches for the employee using his id and returns his index in the array if found
 - *addEmployee(Employee e)*: adds Employee *e* in the department if he isn't already added
 - *removeEmployee(Employee e)*: removes employee *e* from the department if he exists
 - *getEmployeeAt(int i)*: returns the Employee at index *i*
 - Throws an *ArrayIndexOutOfBoundsException* when *i* is out of bounds
 - Throws a *NullPointerException* when employee at *i* is null
 - *calculateAvgSalary()*: calculates the average salary for all employees
 - Throws an *ArithmeticException* when dividing by zero
 - *getEmployeesWithSalary(double lowerBound, double upperBound)*: returns an array of employees having salaries between lower and upper bounds inclusive
 - Throws an *IllegalArgumentException* when the lower bound is larger than upper bound
 - *display()*: displays the information of all employees in the department

Exercise 1: Translate into Java code classes *Employee*, *Programmer*, *ProjectManager*, and *AuditDepartment*.

Exercise 2: Write a main method that tests the functionalities of the previous classes. The main method should display an interactive menu for the user in the following way:

- Please enter the name of the company and the number of employees in the Audit Department:
 - To add an employee, enter 1
 - Enter 1 for a Programmer, or 2 for a ProjectManager
 - ...Proceed to take the required info
 - To print the info of an employee, enter 2
 - Enter the index of the employee
 - To print the average salary, enter 3
 - To list the employees with certain salary range, enter 4
 - Enter the *lower* and *upper* bounds
 - To display the information of all employees, enter 5
 - To exit, enter 6
 - Enter your option:

In each method-call that throws an exception, handle that exception using *try-catch* statements and print a useful message when an exception is caught e.g. since we know that the *AuditDepartment* constructor will throw a *NegativeArraySizeException* when passed a negative size, we will surround that method call with a try statement, and catch the specified exception. In every data entry from the user, *InputMismatchException* should also be handled e.g. entering a string of characters when an integer input is expected.