# MODERN PHYSICS (351 PHYS)

#### PROBLEM SET 1

#### Dr Salwa Alsaleh

#### PROBLEM (1)

A billiard ball of mass 0.3 kg moves with a speed of 5m/s and collides elastically with a ball of mass 0.2kg moving in the opposite direction with a speed of 3m/s.

Show that because momentum is conserved in the rest frame, it is also conserved in a frame of reference moving with a speed of 2m/s in the direction of the second ball.

## PROBLEM (2)

With what speed will a clock have to be moving in order to run at a rate that is one-half the rate of a clock at rest?

#### PROBLEM (3)

How fast must a meter stick be moving if its length is observed to shrink to 0.75m?

#### PROBLEM (4)

A clock on a moving spacecraft runs 1 s slower per day relative to an identical clock on Earth. What is the relative speed of the spacecraft? (Hint: For  $v/c \ll 1$ , note that  $\gamma \approx 1 + \frac{1}{2}(v^2/c^2)$ ).

#### PROBLEM (5)

The average lifetime of a pi meson in its own frame of reference is  $2.6 \times 10^{-8}$  s. If the meson moves with a speed of 0.95c, what is:

- 1. its mean lifetime as measured by an observer on Earth
- 2. the average distance it travels before decaying, as measured by an observer on Earth?

### PROBLEM (6)

An electron moves to the right with a speed of 0.90c relative to the laboratory frame. A proton moves to the right with a speed of 0.70c relative to the electron. Find the speed of the proton relative to the laboratory frame.

#### PROBLEM (7)

An observer in frame S sees lightning simultaneously strike two points 100 m apart. The first strike occurs at  $x_1 = y_1 = z_1 = t_1 = 0$  and the second at  $x_2 = 100$  m,  $y_2 = z_2 = t_2 = 0$ .

- 1. What are the coordinates of these two events in a frame S' moving in the standard configuration (x-direction) at 0.70c relative to S?
- 2. How far apart are the events in S'?
- 3. Are the events simultaneous in S' If not, what is the difference in time between the events, and which event occurs first?