

MCQs

**Pt presents with fever swelling is felt, Ant.lymph node swelling warm, tender & fluctuant
Dx:**

- a) viral infection .
- b) bacterial lymphadenitis .
- c) Hodgkin L.
- d) ALL .

Hepatitis most commonly transferred by blood is:

- a) HBV.
- b) HAV. –
- c) HCV .
- d) None of the above.

The greatest risk of developing chronic hepatitis and cirrhosis occurs after:

- a- Hepatitis A infection.
- b. Hepatitis B infection.
- c. Hepatitis C infection.
- d. Hepatitis D infection.
- e. Hepatitis E

HSV type 1 infection of the oral cavity, all true except:

- a- Is the commonest viral infection in the oral cavity
- b- Can give gingivostomatitis
- c- In primary infection, there is systemic involvement
- d- May present with tonsillitis without oral lesion

A 40 year old white male is transferred to your institution in septic shock less than 24 hours after onset of symptoms of a non-specific illness. He underwent a splenectomy for trauma 5 years ago. Antibiotic coverage must be directed against:

- a. Streptococcus, group A.
- b. Klebsiella pneumoniae.
- c. Staphylococcus aureus.
- d. Escherichia coli.

e. Streptococcus pneumoniae.

Complications following pancreatitis may include all of the following except:

- a. Pulmonary atelectasis.
- b. Altered mental status.
- c. Shock.
- d. Afferent loop syndrome.**
- e. Sepsis.

Furosemide increase excretion of:

- a) Na⁺
- b) K⁺**
- c) phosph.
- d) non of the above