#### Department of Mathematics, College of Science

#### M-203, Mid-term Examination, Semester-I, 1443 H

Max. Time- 2 Hours

Max. Marks-30

Q.1 Find the interval of convergence and radius of convergence for the power series [5]

$$\sum_{n=0}^{\infty} \frac{n^2}{4^n} (x-2)^{2n}.$$

Q.2 Find the Maclaurin series of the function  $f(x) = e^{-x^2}$  and use the first three nonzero terms of the series to approximate

$$\int_0^{0.1} e^{-x^2} dx.$$

[5]

Q.3 Evaluate the double integral

[5]

$$\int_0^1 \int_y^1 e^{-x^2} dx dy.$$

Q.4 Evaluate the double integral

[5]

$$\int \int_{\mathbf{R}} (2x-y) dA,$$

where R is the region bounded by the parabola  $x = y^2$  and the line x - y = 2.

Q.5 Evaluate the integral by changing it to polar coordinates [5]

$$\int_{-1}^{1} \int_{0}^{\sqrt{1-y^2}} \frac{1}{1+x^2+y^2} dx dy.$$

Q. 6 Find the area of the surface S, where S is the part of the sphere  $x^2 + y^2 + z^2 = 4$  that lies above the plane  $z = \sqrt{3}$ .

## Question 1:

Find the interval of convergence and radius of convergence for the power

series 
$$\sum_{n=0}^{+\infty} \frac{n^2}{4^n} (x-2)^{2n}$$
.

#### Solution of the Question 1:

The interval of convergence is (0,4), the radius of convergence is R=2.

#### Question 2:

Use the non-zeros terms of the power series to approximate  $\int_0^{0.1} e^{-x^2} dx$  up to four decimal places.

## Solution of the Question 2:

$$e^{-x^2} = 1 - x^2 + \frac{x^4}{2} + \varepsilon(x).$$

$$\int_0^{0.1} e^{-x^2} dx \approx \int_0^{0.1} (1 - x^2 + \frac{x^4}{2}) dx = 0.100334$$

#### Question 3:

Evaluate the integral  $\int_0^1 \int_u^1 e^{-x^2} dx dy$ .

## Solution of the Question 3:


$$\int_0^1 \int_y^1 e^{-x^2} dx dy = \int_0^1 e^{-x^2} \left( \int_0^x dy \right) dx = \int_0^1 x e^{-x^2} dx = \frac{e-1}{2e}.$$

# Question 4:

Evaluate the integral  $\iint_R (2x - y) dA$ , where R is the region bounded by the parabola  $x = y^2$  and x - y = 2.

Solution of the Question 4:

$$\iint_{R} (2x - y) dA = \int_{-1}^{2} \left( \int_{y^{2}}^{y+2} (2x - y) dx \right) dy$$
$$= \left[ 4y + y^{2} - \frac{1}{5}y^{5} + \frac{1}{4}y^{4} \right]_{-1}^{2} = \frac{243}{20}.$$



#### Question 5:

Evaluate the integral by changing to polar coordinates  $\int_{-1}^{1} \int_{0}^{\sqrt{1-y^2}} \frac{1}{1+x^2+y^2} dx dy.$ 

Solution of the Question 5:

$$\int_{-1}^{1} \int_{0}^{\sqrt{1-y^2}} \frac{1}{1+x^2+y^2} dx dy = \int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \int_{0}^{1} \frac{r}{1+r^2} dr d\theta = \frac{\pi \ln 2}{2}.$$

#### Question 6:

Find the area of the surface S, where S is the part of the sphere  $x^2 + y^2 + z^2 = 4$  that lies above the plane  $z = \sqrt{3}$ .

Solution of the Question 6:

$$SA = \int_0^1 \int_0^{2\pi} \sqrt{1 + \frac{r^2 \cos^2 \theta}{4 - r^2} + \frac{r^2 \sin^2 \theta}{4 - r^2}} r dr d\theta$$
$$= 2\pi \int_0^1 \frac{2r}{\sqrt{4 - r^2}} dr = 4\pi (2 - \sqrt{3}).$$