Select the best answer in each case.

Q.1 According to good practice, when dispensing a medication the pharmacist is required to:
1 provide written instructions
2 provide verbal advice
3 ask whether the patient has any problems with the medication
A 🖵 if 1, 2 and 3 are correct
B ☐ if 1 and 2 only are correct
C 🗖 if 2 and 3 only are correct
D 🗖 if 1 only is correct
E ☐ if 3 only is correct
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness 2 sustained injury
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness 2 sustained injury 3 itchiness
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness 2 sustained injury 3 itchiness A □ if 1, 2 and 3 are correct
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness 2 sustained injury 3 itchiness A □ if 1, 2 and 3 are correct B □ if 1 and 2 only are correct
Q2. When a patient presents with symptoms of a musculoskeletal disorder in the neck and arms, which of the following points should be given priority by the pharmacist when assessing the symptoms?  1 stiffness and numbness 2 sustained injury 3 itchiness A □ if 1, 2 and 3 are correct B □ if 1 and 2 only are correct C □ if 2 and 3 only are correct

Q3. In a community pharmacy, the managing pharmacist should ensure that the dispensing equipment:
1 is stored in a clean place
2 is cleaned after use
3 is securely locked and accessible only to pharmacists
A 📮 if 1, 2 and 3 are correct
B 🖵 if 1 and 2 only are correct
C 🖵 if 2 and 3 only are correct
D 🖵 if 1 only is correct
E ☐ if 3 only is correct
Q4. A female patient presents with uncomplicated symptoms of painful, frequent and urgent urination. When recommending management of the condition, the pharmacist should prioritise:
1 explaining to the patient about personal hygiene
2 recommending medications that alkalinise the urine
3 advising the patient to drink large volumes of fluid
A 📮 if 1, 2 and 3 are correct
B 🖵 if 1 and 2 only are correct
C 🖵 if 2 and 3 only are correct
D 🖵 if 1 only is correct
E ☐ if 3 only is correct
Q5. Syrups should be kept in well-closed containers and stored at temperatures not exceeding 30°C. Bacterial growth may occur if the container is not well-closed and exposed to temperatures over 30°C.
A. True B. False

## **Answers:**

Q1: A

Q2: B

Q3: B

Q4: C

Q5: A

